

STANDARD BESLAG:

GARANT/DREJEKIPBESLAG


FEJLBETJENINGSSPÆRRE

GREB

REGNSKINNE

REDNINGSÅBNING FRA:

630 MM HØJ = 500 MM.



Udarb / Drawn by:

J.K

Rev. nr / Rev no:

01

Dato / Date:

29.03.06

Mål / Scale:

1:1

Godk / Approved:

J.J - J.K

Profil / Profile:

Soft

Navn / Name:


Scandi / Nobel Turn-tilt window

Scandi / Nobel Dreje-kip

Tegn.nr / Dwg. no:

Type 5-1





Udarb / Drawn by:

J.K

Rev. nr / Rev no:

01

Navn / Name:

Scandi / Nobel Turn-tilt window
Scandi / Nobel Dreje-kip

Dato / Date:

29.03.06

Mål / Scale:

1:1

Tegn.nr / Dwg. no:

Type 5-2 snit B-B


Godk / Approved:

JJ - J.K

Profil / Profile:

Soft





Udarb / Drawn by:

J.K

Rev. nr / Rev no:

01

Dato / Date:

29.03.06

Mål / Scale:

1:1

Godk / Approved:

JJ - J.K

Profil / Profile:

Soft


Navn / Name:

Scandi / Nobel Turn-tilt window
Scandi / Nobel Dreje-kip

Tegn.nr / Dwg. no:


Type 5-2 snit C-C





STANDARD BESLAG:

GARANT/DREJEKIPBESLAG
FEJLBETJENINGSSPÆRRE
GREB
REGNSKINNE



Udarb / Drawn by:

J.K

Rev. nr / Rev no:

01

Dato / Date:

29.09.2005

Mål / Scale:

1:1

Godk / Approved:

JJ - J.K

Profil / Profile:

Soft



Navn / Name:

Scandi / Nobel DoubleTurn-tilt window
Scandi / Nobel Dobbelt Dreje-kip

Tegn.nr / Dwg. no:

Type 5-3





Udarb / Drawn by:

J.K

Rev. nr / Rev no:

01

Dato / Date:

29.03.06

Mål / Scale:

1:1

Godk / Approved:

J.J - J.K

Profil / Profile:

Soft



Navn / Name:

Scandi / Nobel Turn-tilt window
Scandi / Nobel Dreje-kip

Tegn.nr / Dwg. no:

Type 5-4






Udarb / Drawn by: J.K	Rev. nr / Rev no: 01
Dato / Date: 29.03.06	Mål / Scale: 1:1
Godk / Approved: JJ - J.K	Profil / Profile: Soft

		Navn / Name: Scandi / Nobel Turn-tilt window Scandi / Nobel Dreje-kip
		Tegn.nr / Dwg. no: Type 5-5

Navn / Name: Scandi / Nobel Turn-tilt window Scandi / Nobel Dreje-kip
Tegn.nr / Dwg. no: Type 5-5



STANDARD BESLAG:

GARANT/DREJEKIPBESLAG


FEJLBETJENINGSSPÆRRE

GREB

REGNSKINNE

REDNINGSÅBNING FRA:

630 MM HØJ = 500 MM.



Udarb / Drawn by:

J.K

Rev. nr / Rev no:

01

Dato / Date:

29.03.06

Mål / Scale:

1:1

Godk / Approved:

JJ - J.K

Profil / Profile:

Soft

Navn / Name:


Scandi / Nobel Turn-tilt window

Scandi / Nobel Dreje-kip

Tegn.nr / Dwg. no:

Type 5.1-1





Udarb / Drawn by:

J.K

Rev. nr / Rev no:

01

Dato / Date:

29.03.06

Mål / Scale:

1:1

Godk / Approved:

JJ - J.K

Profil / Profile:

Soft

Navn / Name:


Scandi / Nobel Turn-tilt window

Scandi / Nobel Dreje-kip

Tegn.nr / Dwg. no:

Type 5.1-2





Udarb / Drawn by:

J.K

Rev. nr / Rev no:

01

Dato / Date:

05.12.05

Mål / Scale:

1:1

Godk / Approved:

JJ - J.K

Profil / Profile:

Soft

Navn / Name:

Scandi / Nobel Turn-tilt window
Scandi / Nobel Dreje-kip

Tegn.nr / Dwg. no:

Type 5.1-3





Udarb / Drawn by:

J.K

Rev. nr / Rev no:

01

Dato / Date:

05.12.05

Mål / Scale:

1:1

Godk / Approved:

JJ - J.K

Profil / Profile:

Soft

Navn / Name:

Scandi / Nobel Turn-tilt window
Scandi / Nobel Dreje-kip

Tegn.nr / Dwg. no:

Type 5.1-4

